SECTION 1. IDENTIFICATION

Product identifier used on the label

: Limestone

Product Code(s) : N/Ap

Recommended use of the chemical and restrictions on use

: Construction material

Restriction on use: None known

Chemical family : Limestone is a naturally occurring mineral complex that contains varying quantities of

quartz (crystalline silica).

Name, address, and telephone number

of the supplier:

Ontario Stone, Sand & Gravel Association (OSSGA)

5720 Timberlea Boulevard, Unit 103

Mississauga, ON, Canada

L4W 4W2

Supplier's Telephone # : 647-727-8778

24 Hr. Emergency Tel # : Not available.

Name, address, and telephone number of the manufacturer:

Refer to supplier



Corner of Chippawa Rd. & Hwy. 140
Port Colborne, Ontario
P.O.Box 275, L3K 5W1
905 834-3647

es email: pcq@pcquarry.com

SECTION 2. HAZARDS IDENTIFICATION

Classification of the chemical

Angular gray, white and tan particles ranging in size from powder to boulders. Odourless.

This material is classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015).

Hazard classification

Carcinogenicity - Category 1

Specific Target Organ Toxicity, Single Exposure - Category 1

Specific Target organ toxicity, repeated exposure- Category 1

Label elements

Hazard pictogram(s)



Signal Word

DANGER!

Hazard statement(s)

May cause cancer.

Causes damage to organs.

Causes damage to organs through prolonged or repeated exposure.

Precautionary statement(s)

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood. Do not breathe dust or fume.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves/protective clothing/eye protection/face protection.

IF exposed or concerned: Get medical advice/attention.

Store locked up.

Dispose of contents/container in accordance with local regulation.

Other hazards

Other hazards which do not result in classification Dust contact with the eyes can lead to mechanical irritation.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	Common name and synonyms	CAS#	Concentration (% by weight)
Limestone	Calcium carbonate Aragonite	1317-65-3	100.00
Silica, quartz	Quartz silica Crystallized silicon dioxide	14808-60-7	>1

Limestone is a naturally occurring mineral complex that contains varying quantities of quartz (crystalline silica). Limestone may be subjected to various natural or mechanical forces thatproduce small particles (dust) which may contain respirable crystalline silica (particles less than 10 micrometers in aerodynamic diameter). The % concentrations for the above listed chemicals will vary from batch to batch. Concentrations listed represent the actual concentration range for each chemical.

SECTION 4. FIRST-AID MEASURES

Description of first aid measures

Ingestion : Never give anything by mouth if victim is unconscious. Have victim rinse mouth with

water, then give one to two glasses of water to drink. If symptoms develop, seek

medical attention.

Inhalation: If inhaled, move to fresh air.If breathing is difficult, give oxygen by qualified medical

personnel only. If not breathing, clear airway and start artificial respiration. Seek

immediate medical attention/advice.

Skin contact: Wash affected areas with soap and water. If irritation or symptoms develop, seek

medical attention.

Eye contact : Flush eyes with water for at least 15 minutes while holding eyelids open. If eye

irritation persists: get medical advice/attention.

Most important symptoms and effects, both acute and delayed

: May cause cancer. Causes damage to the lungs and respiratory system if inhaled. Causes damage to the lungs and respiratory system through prolonged or repeated exposure if inhaled. Repeated or prolonged inhalation of fine dusts may cause severe scarring of the lungs, a disease called silicosis, and alveolar proteinosis (lower lung disease). Symptoms may include coughing, shortness of breath and eventually severe respiratory impairment. Dust contact with the eyes can lead to mechanical irritation. Symptoms may include stinging, tearing, redness and swelling.

Indication of any immediate medical attention and special treatment needed

: Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing media

Suitable extinguishing media

: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

: Do not use a solid water stream as it may scatter and spread the fire.

Special hazards arising from the substance or mixture / Conditions of flammability

: Not flammable.

Flammability classification (OSHA 29 CFR 1910.106)

: Non-flammable.

Hazardous combustion products

: None known.

Special protective equipment and precautions for firefighters

Protective equipment for fire-fighters

: Firefighters should wear an approved full-face, self-contained breathing apparatus (SCBA) and impervious clothing.

Special fire-fighting procedures

: The product itself does not burn. The area should be evacuated and all personnel kept upwind. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode. Fight fires from a safe distance. Water spray may be useful in cooling equipment exposed to heat and flame.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

: Evacuate personnel to safe areas. Restrict access to area until completion of clean-up. All persons dealing with clean-up should wear the appropriate chemically protective equipment. Refer to point 8 on this Safety Data Sheet, EXPOSURE CONTROLS / PERSONAL PROTECTION, for additional information on acceptable personal protective equipment.

Environmental precautions

: None required under normal conditions.

Methods and material for containment and cleaning up

: Ventilate area of release. Stop the spill at source if it is safe to do so. Avoid dust formation. Vacuum or sweep up using wet methods and place in an appropriate waste disposal container

Special spill response procedures

If a spill/release in excess of the EPA reportable quantity is made into the environment, immediately notify the national response center in the United States (phone: 1-800-424-8802).

US CERCLA Reportable quantity (RQ): None reported.

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective equipment during handling. Wear protective gloves/clothing and eye/face protection. Use in a well-ventilated area. Do not breathe dust. Avoid contact with eyes, skin and clothing. Keep away from acids and incompatibles. Avoid and control operations which create dust. Keep containers closed when not in use. Wash thoroughly after handling.

Conditions for safe storage

Store in a cool, dry, well-ventilated area. No smoking in the area. Do not store near acids or other incompatible materials. Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel. Protect against physical damage.

Incompatible materials

: Acids, Aluminum, Oxidizing agents, Reactive metals

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limits:				
Chemical Name	ACGIH	I TLV	OSHA F	PEL
	<u>TWA</u>	<u>STEL</u>	<u>PEL</u>	<u>STEL</u>
Limestone	N/Av	N/Av	15 mg/m³ (total dust); 5 mg/m³ (respirable)	N/Av
Silica, quartz	0.025 mg/m³ (respirable)	N/Av	0.1 mg/m³ (respirable) (final rule limit)	N/Av

Exposure controls

Ventilation and engineering measures

 Use general or local exhaust ventilation to maintain air concentrations below recommended exposure limits.

Respiratory protection : Respiratory protection is required if the concentrations exceed the TLV. If the TLV is

exceeded, a NIOSH/MSHA-approved respirator is advised.

: Wear protective gloves/clothing. Impervious gloves must be worn when using this Skin protection

product. Advice should be sought from glove suppliers.

: Chemical goggles must be worn to prevent dusts from entering the eyes. Eye / face protection Other protective equipment : An eyewash station should be made available in the immediate working area.

Depending on conditions of use, safety shoes and additional protective clothing may

also be necessary.

General hygiene considerations

: Avoid contact with eyes, skin and clothing. Do not breathe vapours/dust. Do not eat, drink or smoke when using this product. Clean all equipment and clothing, and shower

with mild soap and water to remove dusts, at end of each work shift.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Angular gray, white and tan particles ranging in size from powder to boulders.

Odour No odour. **Odour threshold** : N/Av Ha : N/Av Melting/Freezing point : N/Av Initial boiling point and boiling range

: N/Av N/Ap : N/Ap Evaporation rate (BuAe = 1) : N/Av

Flammability (solid, gas) : Not applicable.

Lower flammable limit (% by vol.)

Flash point

Flashpoint (Method)

: N/Ap

Upper flammable limit (% by vol.)

: N/Ap

Oxidizing properties : None.

Explosive properties : Not explosive

Vapour pressure : N/Av : N/Av Vapour density Relative density / Specific gravity

: 2.4-2.85

Solubility in water : Insoluble. Other solubility(ies) : N/Av

Partition coefficient: n-octanol/water or Coefficient of water/oil distribution

: N/Av

Auto-ignition temperature : N/Av **Decomposition temperature**: N/Av **Viscosity** : N/Ap (solid)

Volatiles (% by weight) : N/Av **Volatile organic Compounds (VOC's)**

: N/Av

Absolute pressure of container

: N/Ap

Flame projection length : N/Ap Other physical/chemical comments

: None known or reported by the manufacturer.

SECTION 10. STABILITY AND REACTIVITY

: Not normally reactive. Reactivity

: Stable under normal conditions. **Chemical stability**

Possibility of hazardous reactions

: Hazardous polymerization does not occur.

SDS Preparation Date (mm/dd/yyyy): 12/28/2018

Page 5 of 9

SAFETY DATA SHEET

Conditions to avoid : Avoid dust formation. Avoid contact with incompatible materials.

Incompatible materials : Acids; Aluminum; Oxidizing agents; Reactive metals

Hazardous decomposition products

: Respirable crystalline silica-containing dust may be generated. When heated, quartz is slowly transformed into tridymite (above 860°C/1580°F) and cristobalite (above 1470°C/2678°F). Both tridymite and cristobalite are other forms of crystalline silica. Refer to Section 5 for additional 'Hazardous combustion products'.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure:

Routes of entry inhalation : YES
Routes of entry skin & eye : YES
Routes of entry Ingestion : YES
Routes of exposure skin absorption

: NO

Potential Health Effects:

Signs and symptoms of short-term (acute) exposure

Sign and symptoms Inhalation

Inhalation of dust may cause shortness of breath, tightness of the chest, a sore throat and cough. Contains crystalline silica; prolonged exposure by inhalation of particles can cause serious lung damage, including silicosis. Symptoms may include coughing, shortness of breath and eventually severe respiratory impairment.

Sign and symptoms ingestion

: None expected, when used as intended.

Sign and symptoms skin

: None expected, when used as intended.

Sign and symptoms eyes

Dust contact with the eyes can lead to mechanical irritation. Symptoms may include stinging, tearing, redness and swelling.

Potential Chronic Health Effects

 Repeated or prolonged inhalation of fine dusts may cause severe scarring of the lungs, a disease called silicosis, and alveolar proteinosis (lower lung disease).
 Symptoms may include coughing, shortness of breath and eventually severe

respiratory impairment.

Mutagenicity

: Not expected to be mutagenic in humans.

Carcinogenicity

This material is classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015). Classification Carcinogenic Category 1 May cause cancer.

This product contains Crystalline silica - Quartz. Crystalline silica - Quartz is classified as carcinogenic by IARC (Group 1), ACGIH (Group A2), NTP (Group 1) and OSHA

(OSHA Select carcinogen).

Reproductive effects & Teratogenicity

: Not expected to cause reproductive effects.

Sensitization to material

: Contains no known skin or respiratory sensitizers.

Specific target organ effects: This material is classified as hazardous under U.S. OSHA regulations (29CFR

1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products

Regulations) (WHMIS 2015). Classification:

Specific Target Organ Toxicity, Single Exposure - Category 1

May cause damage to the lungs if inhaled.

Specific Target organ toxicity, repeated exposure- Category 1

May cause damage to the lungs through prolonged or repeated exposure if inhaled.

Medical conditions aggravated by overexposure

: Pre-existing respiratory disorders.

Synergistic materials : None known or reported by the manufacturer.

Toxicological data

There is no available data for the product itself, only for the ingredients. See below for individual ingredient acute toxicity data.

	LCso(4hr)	LD50		
Chemical name	<u>inh, rat</u>	(Oral, rat)	(Rabbit, dermal)	
Limestone	> 3 mg/L (aerosol) (No mortality)	6450 mg/kg	> 2000 mg/kg (No mortality)	
Silica, quartz	N/Av	N/Av	N/Av	

Other important toxicological hazards

: None reported by the manufacturer.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

: No data is available on the product itself. Not expected to be harmful to aquatic organisms.

Ecotoxicity data:

<u>Ingredients</u>	040 N	•	Toxicity to Fish			
	CAS No	LC50 / 96h	NOEC / 21 day	M Factor		
Limestone	1317-65-3	> 100 mg/L (Rainbow trout)	N/Av	None.		
Silica, quartz	14808-60-7	N/Av	N/Av	None.		

<u>Ingredients</u>	CAS No	Toxicity to Daphnia				
		EC50 / 48h	NOEC / 21 day	M Factor		
Limestone	1317-65-3	> 100 mg/L (Daphnia magna)	N/Av	None.		
Silica, quartz	14808-60-7	N/Av	N/Av	None.		

<u>Ingredients</u>	CAS No	Toxicity to Algae				
		EC50 / 96h or 72h NOEC / 96h or 72		M Factor		
Limestone	1317-65-3	> 14 mg/L/72hr (Green algae)	14 mg/L/72hr	None.		
Silica, quartz	14808-60-7	N/Av	N/Av	None.		

Persistence and degradability

: No data is available on the product itself.

Bioaccumulation potential: No data is available on the product itself.

Components Partition coefficient n-octanol/water (log Kow) Bioconcentration factor (BCF)

Mobility in soil : No data is available on the product itself.

Other Adverse Environmental effects

: None known.

SECTION 13. DISPOSAL CONSIDERATIONS

Handling for Disposal Methods of Disposal : Handle waste according to recommendations in Section 7.

: Dispose in accordance with all applicable federal, state, provincial and local regulations.

RCRA

: If this product, as supplied, becomes a waste in the United States, it may meet the criteria of a hazardous waste as defined under RCRA, Title 40 CFR 261. It is the responsibility of the waste generator to determine the proper waste identification and disposal method.

SECTION 14. TRANSPORT INFORMATION

Regulatory Information	UN Number	UN proper shipping name	Transport hazard class(es)	Packing Group	Label
TDG	None	Not regulated.	Not regulated	none	\bigotimes
TDG Additional information	None.	•	!		
49CFR/DOT	None	Not regulated.	Not regulated	none	\bigotimes
49CFR/DOT Additional information	None.	:	·		

Special precautions for user: None reported by the manufacturer.

Environmental hazards : This product does not meet the criteria for an environmentally hazardous mixture,

according to the IMDG Code. See ECOLOGICAL INFORMATION, Section 12.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

: Not available.

SECTION 15 - REGULATORY INFORMATION

US Federal Information:

Components listed below are present on the following U.S. Federal chemical lists:

<u>Ingredients</u> CA	Ingredients CAS # Inventory Reportable		SARA TITLE III: Sec. 302, Extremely	SARA TITLE III: Sec. 313, 40 CFR 372, Specific Toxic Chemical		
	CAS#	Inventory	Quantity(RQ) (40 CFR 117.302):	Hazardous Substance, 40 CFR 355:	Toxic Chemical	de minimus Concentration
Limestone	1317-65-3	Yes	None.	None.	No	N/Ap
Silica, quartz	14808-60-7	Yes	None.	None.	No	N/Ap

SARA TITLE III: Sec. 311 and 312, SDS Requirements, 40 CFR 370 Hazard Classes: Carcinogenicity; Specific target organ toxicity, single exposure; Specific target organ toxicity, repeated exposure.

Under SARA Sections 311 and 312, the EPA has established threshold quantities for the reporting of hazardous chemicals. The current thresholds are 500 pounds or the threshold planning quantity (TPQ), whichever is lower, for extremely hazardous substances and 10,000 pounds for all other hazardous chemicals.

US State Right to Know Laws:

The following chemicals are specifically listed by individual States:

<u>Ingredients</u>	CAS#	California Proposition 65 State "Right to Know" I		State "Right to Know" Lists				California Proposition 65 State "Right to Know" Lists			California Proposition 65 State "Right to Know" Lists			
		Listed	Type of Toxicity	CA	MA	MN	NJ	PA	RI					
Limestone	1317-65-3	No	N/Ap	No	Yes	Yes	Yes	Yes	Yes					
Silica, quartz	14808-60-7	Yes	Cancer (airborne particles of respirable size)	No	Yes	Yes	Yes	Yes	Yes					

Canadian Information:

WHMIS information: Refer to Section 2 for a WHMIS Classification for this product.

Canadian Environmental Protection Act (CEPA): All ingredients listed appear on the Domestic Substances List (DSL) or Non-Domestic Substances List (NDSL).

International Information:

Components listed below are present on the following International Inventory list:

<u>Ingredients</u>	CAS#	European EINECs	Australia AICS	Philippines PICCS	Japan ENCS	Korea KECI/KECL	China IECSC	NewZealand IOC
Limestone	1317-65-3	215-279-6	Present	Present	(1)-122	KE-21996	Present	May be used as a single component chemical under an appropriate group standard.
Silica, quartz	14808-60-7	238-878-4	Present	Present	(1)-548	KE-29983	Present	HSR003125

SECTION 16. OTHER INFORMATION

Legend

: ACGIH: American Conference of Governmental Industrial Hygienists

CAS: Chemical Abstract Services

CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act

of 1980

CFR: Code of Federal Regulations DOT: Department of Transportation DSL: Domestic Substances List EPA: Environmental Protection Agency

IARC: International Agency for Research on Cancer

Inh: Inhalation MA: Massachusetts MN: Minnesota

LC: Lethal Concentration

LD: Lethal Dose N/Av: Not Available N/Ap: Not Applicable

NIOSH: National Institute of Occupational Safety and Health

NJ: New Jersey

NTP: National Toxicology Program

OSHA: Occupational Safety and Health Administration

PA: Pennsylvania

PEL: Permissible exposure limit

RCRA: Resource Conservation and Recovery Act

RI: Rhode Island

RTECS: Registry of Toxic Effects of Chemical Substances SARA: Superfund Amendments and Reauthorization Act

STEL: Short Term Exposure Limit

TDG: Canadian Transportation of Dangerous Goods Act & Regulations

TLV: Threshold Limit Values

TSCA: Toxic Substance Control Act

SDS Preparation Date (mm/dd/yyyy): 12/28/2018

SAFETY DATA SHEET

TWA: Time Weighted Average

WHMIS: Workplace Hazardous Materials Identification System

References

- : 1. ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents &
 - Biological Exposure Indices for 2018.
 - 2. International Agency for Research on Cancer Monographs, searched 2018.
 - 3. Canadian Centre for Occupational Health and Safety, CCInfoWeb databases, 2018 (Chempendium, HSDB and RTECs).
 - 4. Material Safety Data Sheets from manufacturer.
 - 5. US EPA Title III List of Lists March 2015 version.
 - 6. California Proposition 65 List November 23, 2018 version.
 - 7. OECD The Global Portal to Information on Chemical Substances eChemPortal,

Preparation Date (mm/dd/yyyy)

: 12/28/2018

Other special considerations for handling

:

Prepared for:

Ontario Stone, Sand & Gravel Association (OSSGA) 5720 Timberlea Boulevard, Unit 103 Mississauga, ON L4W 4W2

Mississauga, ON L4W 4W2 Telephone: 647-727-8778

Prepared by:

ICC The Compliance Center Inc.

Telephone: (888) 442-9628 (U.S.): (888) 977-4834 (Canada)

http://www.thecompliancecenter.com



DISCLAIMER

This Safety Data Sheet was prepared by ICC The Compliance Center Inc. using information provided by / obtained from Ontario Stone, Sand & Gravel Association (OSSGA) and CCOHS' Web Information Service. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc and Ontario Stone, Sand & Gravel Association (OSSGA) expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc. and Ontario Stone, Sand & Gravel Association (OSSGA).

END OF DOCUMENT